



KISTENMACHER

Installation





Terminal Strips

KISTENMACHER terminal strips have gained a wide popularity as a classic type of connecting terminal.

Poles: 12 brass terminals - 380V/450V
Material: Polyethylene (PE), flexible - other materials available on request
Colours: Natural, White, Black - special colours available on request




Heavy duty H-Type:

Art.-No.	Size	Amperage	Pieces / carton
EGK 129 / nat.	2,5 mm ²	3A	1.000 pcs.
EGK 158 / nat.	6,0 mm ²	6A	1.000 pcs.
EGK 143 / nat.	10,0 mm ²	10A	500 pcs.
EGK 143 XXL / nat.	10,0 mm ²	10A	500 pcs.
EGK 135 / nat.	16,0 mm ²	30A	300 pcs.
EGK 149 / nat.	25,0 mm ²	60A	200 pcs.
EGK 154 / nat.	35,0 mm ²	100A	100 pcs.
Art.-No.	Size	Amperage	Pieces / carton
EGK 135 / blk.	16,0 mm ²	30A	300 pcs.
EGK 149 / blk.	25,0 mm ²	60A	200 pcs.
EGK 154 / blk.	35,0 mm ²	100A	100 pcs.

Extra duty U-Type:

Art.-No.	Size	Amperage	Pieces / carton
EGK BC6 / nat.	6,0 mm ²	6A	1.000 pcs.
EGK BC10 / nat.	10,0 mm ²	10A	500 pcs.
EGK BC12 / nat.	12,0 mm ²	15A	500 pcs.
EGK BC16 / nat.	16,0 mm ²	30A	300 pcs.
EGK BC25 / nat.	25,0 mm ²	60A	200 pcs.
EGK BC35 / nat.	35,0 mm ²	100A	100 pcs.





Cable Ties

All **KISTENMACHER** Cable Ties are one piece moulded mechanism with no metal barbs or cumbersome wedges, molded of the finest virgin Nylon 66, self-extinguishing UL-94 flam. Class: V-2, V-0 available upon request.

Bent tip, finger grip tip, low threading force, no sharp edges ensure easy handling and installation to increase productivity and reduce your installation costs.

Standard colors: natural nylon, Pigmented black optional. Other colors available upon request. Ultraviolet ray resistant black ties for outdoor applications and heat stabilized ties available upon request



Standard:




Operating temperature:
- 40°C to + 85° C




Art.-No.	Length mm	Width mm	Pieces / plastic bag	Pieces / carton
EGK C 080 x 2,5	80 mm	2,5 mm	100 pieces	60.000 pieces
EGK C 100 x 2,5	100 mm	2,5 mm	100 pieces	60.000 pieces
EGK C 120 x 2,5	120 mm	2,5 mm	100 pieces	45.000 pieces
EGK C 150 x 2,5	150 mm	2,5 mm	100 pieces	40.000 pieces
EGK C 200 x 2,5	200 mm	2,5 mm	100 pieces	30.000 pieces
EGK C 150 x 3,5	150 mm	3,5 mm	100 pieces	25.000 pieces
EGK C 180 x 3,5	180 mm	3,5 mm	100 pieces	22.000 pieces
EGK C 200 x 3,5	200 mm	3,5 mm	100 pieces	20.000 pieces
EGK C 250 x 3,5	250 mm	3,5 mm	100 pieces	16.000 pieces
EGK C 300 x 3,5	300 mm	3,5 mm	100 pieces	14.000 pieces
EGK C 370 x 3,5	370 mm	3,5 mm	100 pieces	12.000 pieces
EGK C 200 x 4,8	200 mm	4,8 mm	100 pieces	14.000 pieces
EGK C 250 x 4,8	250 mm	4,8 mm	100 pieces	12.000 pieces
EGK C 300 x 4,8	300 mm	4,8 mm	100 pieces	10.000 pieces
EGK C 350 x 4,8	350 mm	4,8 mm	100 pieces	10.000 pieces
EGK C 370 x 4,8	370 mm	4,8 mm	100 pieces	9.000 pieces
EGK C 400 x 4,8	400 mm	4,8 mm	100 pieces	8.000 pieces
EGK C 450 x 4,8	450 mm	4,8 mm	100 pieces	6.000 pieces
EGK C 500 x 4,8	500 mm	4,8 mm	100 pieces	5.000 pieces
EGK C 200 x 7,6	200 mm	7,6 mm	100 pieces	7.000 pieces
EGK C 250 x 7,6	250 mm	7,6 mm	100 pieces	6.000 pieces
EGK C 300 x 7,6	300 mm	7,6 mm	100 pieces	5.000 pieces
EGK C 350 x 7,6	350 mm	7,6 mm	100 pieces	5.000 pieces
EGK C 400 x 7,6	400 mm	7,6 mm	100 pieces	4.000 pieces
EGK C 450 x 7,6	450 mm	7,6 mm	100 pieces	3.500 pieces
EGK C 500 x 7,6	500 mm	7,6 mm	100 pieces	3.000 pieces
EGK C 550 x 7,6	550 mm	7,6 mm	100 pieces	2.000 pieces
EGK C 700 x 7,6	700 mm	7,6 mm	100 pieces	1.000 pieces
EGK C 400 x 9,0	400 mm	9,0 mm	100 pieces	2.000 pieces
EGK C 450 x 9,0	450 mm	9,0 mm	100 pieces	2.000 pieces
EGK C 500 x 9,0	500 mm	9,0 mm	100 pieces	2.000 pieces
EGK C 550 x 9,0	550 mm	9,0 mm	100 pieces	1.000 pieces
EGK C 600 x 9,0	600 mm	9,0 mm	100 pieces	1.000 pieces
EGK C 650 x 9,0	650 mm	9,0 mm	100 pieces	1.000 pieces
EGK C 700 x 9,0	700 mm	9,0 mm	100 pieces	1.000 pieces
EGK C 750 x 9,0	750 mm	9,0 mm	100 pieces	1.000 pieces
EGK C 800 x 9,0	800 mm	9,0 mm	100 pieces	1.000 pieces
EGK C 900 x 9,0	900 mm	9,0 mm	100 pieces	1.000 pieces
EGK C 1020 x 9,0	1020 mm	9,0 mm	100 pieces	1.000 pieces

Heavy Duty line:



Heavy Duty line:







Spiral Wrapping Band

For the management and protection of cables and hoses, **KISTENMACHER** offers, plastic spiral wrapping.

Thanks to flexible PE material, the spiral wrapping can be installed and removed with ease.



Art.-No.	D (mm)	d (mm)	W (mm)	Wrapping Range (mm)	Meters / Roll	Rolls / Carton
EGK SW 6	4,00	6,00	7,00	4 - 50	10 m	100 rolls
EGK SW 8	6,00	8,00	10,80	6 - 60	10 m	80 rolls
EGK SW 10	7,50	10,00	11,40	7,5 - 60	10 m	50 rolls
EGK SW 12	9,00	12,00	13,90	9 - 65	10 m	40 rolls
EGK SW 15	12,00	15,00	15,00	12 - 75	10 m	25 rolls
EGK SW 19	15,00	19,00	18,20	15 - 100	10 m	9 rolls
EGK SW 24	20,00	24,00	19,60	20 - 130	10 m	8 rolls

Material: Polyethylene (PE)
Temp. resistance of material: -50 to 75°C
Colours: natural / black





Heat Shrinkable Tubes

KISTENMACHER thin wall Heat Shrinkable Tubes provide an easy to use and durable solution for the protection of cable and cable connections. EGK heat shrinkable tubes will work reliably in temperatures from -40°C up to $+125^{\circ}\text{C}$ and provide flame retardancy and UV resistance. The field of application ranges from installation in communication, electronics and aviation to maintenance and cable indexing. Installation of EGK Heat Shrinkable tubes can work with any standard hot air gun with best performance.

Standard colours: Black, White, Red, Yellow, Blue, Green, other colours on request

Shrink Ratio: 2 : 1

Operating temp: - 40 to + 125°C

Max. voltage: 660V

- Characteristics:**
- Flexible
 - Non-corrosive
 - High tensile strength
 - UV resistant
 - Flame retardant
 - Good electrical features

Bi-Colour available on request

Art.-No.	Thickness	Size	Mtr. per spool	Mtr. per carton
EGK HEAT 1	0,18 mm \pm 0,02mm	\varnothing 1,0 mm	200 mtr.	3000 mtr.
EGK HEAT 1,5	0,18 mm \pm 0,02 mm	\varnothing 1,5 mm	200 mtr.	2600 mtr.
EGK HEAT 2	0,18 mm \pm 0,02 mm	\varnothing 2,0 mm	200 mtr.	2000 mtr.
EGK HEAT 2,5	0,18 mm \pm 0,02 mm	\varnothing 2,5 mm	200 mtr.	3000 mtr.
EGK HEAT 4	0,22 mm \pm 0,02 mm	\varnothing 4,0 mm	200 mtr.	1800 mtr.
EGK HEAT 5	0,24 mm \pm 0,02 mm	\varnothing 5,0 mm	100 mtr.	1200 mtr.
EGK HEAT 6	0,24 mm \pm 0,02 mm	\varnothing 6,0 mm	100 mtr.	1000 mtr.
EGK HEAT 7	0,24 mm \pm 0,02 mm	\varnothing 7,0 mm	100 mtr.	2000 mtr.
EGK HEAT 8	0,24 mm \pm 0,02 mm	\varnothing 8,0 mm	100 mtr.	1900 mtr.
EGK HEAT 9	0,24 mm \pm 0,02 mm	\varnothing 9,0 mm	100 mtr.	1800 mtr.
EGK HEAT 10	0,28 mm \pm 0,02 mm	\varnothing 10,0 mm	100 mtr.	1700 mtr.
EGK HEAT 11	0,28 mm \pm 0,02 mm	\varnothing 11,0 mm	100 mtr.	1600 mtr.
EGK HEAT 12	0,28 mm \pm 0,02 mm	\varnothing 12,0 mm	100 mtr.	1500 mtr.
EGK HEAT 13	0,28 mm \pm 0,02 mm	\varnothing 13,0 mm	100 mtr.	1400 mtr.
EGK HEAT 14	0,30 mm \pm 0,03mm	\varnothing 14,0 mm	100 mtr.	1400 mtr.
EGK HEAT 15	0,30 mm \pm 0,03 mm	\varnothing 15,0 mm	100 mtr.	1300 mtr.
EGK HEAT 16	0,30 mm \pm 0,03 mm	\varnothing 16,0 mm	100 mtr.	1200 mtr.
EGK HEAT 17	0,35 mm \pm 0,03 mm	\varnothing 17,0 mm	100 mtr.	1100 mtr.
EGK HEAT 18	0,35 mm \pm 0,03 mm	\varnothing 18,0 mm	100 mtr.	1100 mtr.
EGK HEAT 19	0,35 mm \pm 0,03 mm	\varnothing 19,0 mm	100 mtr.	1000 mtr.
EGK HEAT 22	0,35 mm \pm 0,03 mm	\varnothing 22,0 mm	100 mtr.	900 mtr.
EGK HEAT 25	0,40 mm \pm 0,05 mm	\varnothing 25,0 mm	25 mtr.	500 mtr.
EGK HEAT 28	0,40 mm \pm 0,05 mm	\varnothing 28,0 mm	25 mtr.	450 mtr.
EGK HEAT 30	0,40 mm \pm 0,05 mm	\varnothing 30,0 mm	25 mtr.	400 mtr.
EGK HEAT 35	0,40 mm \pm 0,05 mm	\varnothing 35,0 mm	25 mtr.	350 mtr.
EGK HEAT 38	0,40 mm \pm 0,05 mm	\varnothing 38,0 mm	25 mtr.	500 mtr.
EGK HEAT 50	0,40 mm \pm 0,05 mm	\varnothing 50,0 mm	25 mtr.	250 mtr.
EGK HEAT 80	0,45 mm \pm 0,03 mm	\varnothing 80,0 mm	25 mtr.	200 mtr.
EGK HEAT 100	0,45 mm \pm 0,03 mm	\varnothing 100,0 mm	25 mtr.	150 mtr.
EGK HEAT 150	0,50 mm \pm 0,03 mm	\varnothing 150,0 mm	25 mtr.	100 mtr.





Cable Glands

KISTENMACHER nylon Cable glands, grey and black colour — other colors on request including Locknut, IP 68, Temp. Resistance – 40° to + 100°C, Made of virgin nylon (PA 66)
The cable glands are available with or without additional rubber rings. Fire retardant cable glands are available on request.



Without rubber rings



With rubber rings

Art.-No. Including Locknut	Size	Pieces / Bag	Pieces / Carton
EGK 250/07+3420/07	PG 7	100 pieces	6000 pieces
EGK 250/09+3420/09	PG 9	100 pieces	4000 pieces
EGK 250/11+3420/11	PG 11	100 pieces	2500 pieces
EGK 250/13,5+3420/13,5	PG 13,5	100 pieces	2000 pieces
EGK 250/16+3420/16	PG 16	100 pieces	1500 pieces
EGK 250/19+3420/19	PG 19	100 pieces	1500 pieces
EGK 250/21+3420/21	PG 21	100 pieces	1000 pieces
EGK 250/253420/25	PG 25	50 pieces	800 pieces
EGK 250/29+3420/29	PG 29	50 pieces	500 pieces
EGK 250/36+3420/36	PG 36	20 pieces	280 pieces
EGK 250/42+3420/42	PG 42	20 pieces	220 pieces
EGK 250/48+3420/48	PG 48	20 pieces	200 pieces
EGK 250/63+3420/63	PG 63	10 pieces	100 pieces
Art.-No. Including Locknut	Size	Pieces / Bag	Pieces / Carton
EGK 250 / M 12	M12x1,5	100 pieces	6000 pieces
EGK 250 / M 16	M16x1,5	100 pieces	4000 pieces
EGK 250 / M 18	M18x1,5	100 pieces	2500 pieces
EGK 250 / M 20	M20x1,5	100 pieces	2000 pieces
EGK 250 / M 22	M22x1,5	100 pieces	1500 pieces
EGK 250 / M 24	M24x1,5	100 pieces	1500 pieces
EGK 250 / M 25	M25x1,5	100 pieces	1000 pieces
EGK 250 / M 27	M27x1,5	50 pieces	1000 pieces
EGK 250 / M 30	M30x1,5	50 pieces	800 pieces
EGK 250 / M 32	M32x1,5	50 pieces	800 pieces
EGK 250 / M 36	M36x1,5	50 pieces	500 pieces
EGK 250 / M 40	M40x1,5	25 pieces	300 pieces
EGK 250 / M 50	M50x1,5	20 pieces	260 pieces
EGK 250 / M 63	M63x1,5	20 pieces	200 pieces

Please also ask our sales staff for fire retardant versions of cable glands




Cable Markers

Marker tongue spans to fit various cable diameters and retracts to hold wires firmly in position
 Maximum service temperature: +85°C
 Material: PVC oil and erosion resistant



Art.-No.	Cable Size (sqmm)	Sqmm	Type-Numbering	Type-Lettering	Type-Symbol	Pieces per Roll	Lenth/Roll
EGK EC 0	0,75 sqmm	0,75 sqmm	0 to 9	A to Z or Blank	+, -, /, #, *, ~, ,	1.000 pieces	4,00 mtr
EGK EC 0	0,75 sqmm—3,0 sqmm	1,0 sqmm	0 to 9	A to Z or Blank	+, -, /, #, *, ~, ,	1.000 pieces	4,00 mtr
EGK EC 0	1,5 sqmm—3,0 sqmm	1,5 sqmm	0 to 9	A to Z or Blank	+, -, /, #, *, ~, ,	1.000 pieces	4,00 mtr
EGK EC 1	2,6 sqmm—4,2 sqmm	2,5 sqmm	0 to 9	A to Z or Blank	+, -, /, #, *, ~, ,	1.000 pieces	4,00 mtr
EGK EC 2	3,6 sqmm—7,4 sqmm	4,0 sqmm	0 to 9	A to Z or Blank	+, -, /, #, *, ~, ,	500 pieces	2,75 mtr
EGK EC 3	5,0 sqmm—10,0 sqmm	6,0 sqmm	0 to 9	A to Z or Blank	+, -, /, #, *, ~, ,	350 pieces	1,95 mtr
EGK EC 3	8,0 sqmm—11,9 sqmm	8,0 sqmm	0 to 9	A to Z or Blank	+, -, /, #, *, ~, ,	250 pieces	1,37 mtr
EGK EC 3	10,0 sqmm	10,0 sqmm	0 to 9	A to Z or Blank	+, -, /, #, *, ~, ,	180 pieces	0,99 mtr
EGK EC 3	12,0 sqmm	12,0 sqmm	0 to 9	A to Z or Blank	+, -, /, #, *, ~, ,	160 pieces	0,88 mtr
EGK EC J	3,6 sqmm—7,2 sqmm	4,0 sqmm	0 to 9	A to Z or Blank	+, -, /, #, *, ~, ,	500 pieces	2,50 mtr





Draw-in bands

KISTENMACHER offers classic steel draw-in bands as well as plastic draw-in band for easy installation and handling of cables.

Special types are available on request.



Plastic Draw-in bands:

Material: solid nylon (PA 66)
Thickness (diameter): 0,3 mm
one end with eye, second end with spring

Art.-No.	Length	Pieces / carton
EGK PE-005	5 mtrs.	200 pieces
EGK PE-010	10 mtrs.	150 pieces
EGK PE-015	15 mtrs.	100 pieces
EGK PE-020	20 mtrs.	80 pieces
EGK PE-025	25 mtrs.	60 pieces
EGK PE-030	30 mtrs.	50 pieces



Steel Draw-in band:

Thickness: 0,5 mm - **Width:** 3,2 mm
with riveted eye on both ends (ball and spring available on request)

Art.-No.	Length	Pieces / box	Pieces / carton
EGK ST-005	5 mtrs.	10 pieces	100 pieces
EGK ST-010	10 mtrs.	10 pieces	100 pieces
EGK ST-015	15 mtrs.	10 pieces	100 pieces
EGK ST-020	20 mtrs.	10 pieces	100 pieces
EGK ST-025	25 mtrs.	10 pieces	100 pieces
EGK ST-030	30 mtrs.	10 pieces	100 pieces





Pipe Bending Springs

KISTENMACHER pipe bending springs are available in a variety of types and will bend electrical conduits with ease.

Standard Pipe Bending Springs:

one end with plain ending, other end with round hook
plain steel finishing
protected by an anti-rust grease film

Art.-No.	Diameter	Length	Pieces/ bag / carton
EGK PBS16	16 mm	560 mm	20 pieces
EGK PBS20	20 mm	560 mm	20 pieces
EGK PBS25	25 mm	560 mm	20 pieces
EGK PBS32	32 mm	560 mm	20 pieces
EGK PBS38	38 mm	560 mm	20 pieces



Heavy Duty Pipe Bending Springs:

one end with plain ending, other end with **double round hook**
plain steel finishing
protected by an anti-rust grease film

Art.-No.	Diameter	Length	Pieces/ bag / carton
EGK PBS-E16	16 mm	560 mm	20 pieces
EGK PBS-E20	20 mm	560 mm	20 pieces
EGK PBS-E25	25 mm	560 mm	20 pieces
EGK PBS-E32	32 mm	560 mm	20 pieces
EGK PBS-E38	38 mm	560 mm	20 pieces



Galvanized Pipe Bending Springs:

one end with plain ending, other end with round hook
galvanized steel finishing

Art.-No.	Diameter	Length	Pieces/ bag / carton
EGK PBS-G16	16 mm	560 mm	20 pieces
EGK PBS-G20	20 mm	560 mm	20 pieces
EGK PBS-G25	25 mm	560 mm	20 pieces
EGK PBS-G32	32 mm	560 mm	20 pieces
EGK PBS-G38	38 mm	560 mm	20 pieces





Weather Proof Switches / Sockets

KISTENMACHER switches and sockets will work reliably in tough outdoor conditions.

Protection: IP 55
 Amperage: 13A / 16A
 Voltage: 250V



EGK 1GB 16A



EGK SS 13A



EGK SR 13A

Art.-No.	Description				pcs. / carton
EGK 1GS 13A	switch	1-gang	1-way	Schuko / BS	30 pcs.
EGK 2GS 13A	switch	2-gang	1-way	Schuko / BS	30 pcs.
EGK 3GS 13A	switch	3-gang	1-way	Schuko / BS	24 pcs.
EGK 4GS 13A	switch	4-gang	1-way	Schuko / BS	24 pcs.
EGK 1GBS 13A	switch	1-gang	2-way	Schuko / BS	30 pcs.
EGK 2GBS 13A	switch	2-gang	2-way	Schuko / BS	30 pcs.
EGK 3GBS 13A	switch	3-gang	2-way	Schuko / BS	24 pcs.
EGK 4GBS 13A	switch	4-gang	2-way	Schuko / BS	24 pcs.
EGK SSR 16A	boiler switch			BS	24 pcs.
EGK 1GB 16A	bell switch	1-gang		Schuko / BS	30 pcs.
EGK SS 13A	switch/socket	1-gang	1-way	BS	24 pcs.
EGK BSS 13A	switch/socket	1-gang	2-way	BS	24 pcs.
EGK SR 13A	socket	single		Schuko	30 pcs.
EGK S 13A	socket	single		BS	30 pcs.
EGK SR/2	socket	double		Schuko	24 pcs.
EGK S/2	socket	double		BS	24 pcs.





Isolating Switches

KISTENMACHER heavy-duty isolating switches have proven to be a reliable choice over many years.

The recent product modernization includes sturdy PVC bolts for easier installation.



Art.-No.	Poles	Amperage	pcs. / carton	ctns. / pallet
EGK 1p.-20A	1-pole	20A	24 pcs.	16 cartons
EGK 1p.-35A	1-pole	35A	24 pcs.	16 cartons
EGK 1p.-63A	1-pole	63A	24 pcs.	16 cartons
EGK 2p.-20A	2-pole	20A	24 pcs.	16 cartons
EGK 2p.-35A	2-pole	35A	24 pcs.	16 cartons
EGK 2p.-63A	2-pole	63A	24 pcs.	16 cartons
EGK 3p.-20A	3-pole	20A	24 pcs.	16 cartons
EGK 3p.-35A	3-pole	35A	24 pcs.	16 cartons
EGK 3p.-63A	3-pole	63A	24 pcs.	16 cartons
EGK 4p.-20A	4-pole	20A	24 pcs.	16 cartons
EGK 4p.-35A	4-pole	35A	24 pcs.	16 cartons
EGK 4p.-63A	4-pole	63A	24 pcs.	16 cartons

Voltage:

Protection:

Measurements:

Cable entries:

max. 440V

IP 66

80 x 80 x 160 mm

4 (2 ea. at top / bottom)





Accessories

KISTENMACHER series pre-insulated Terminals

KISTENMACHER offers a wide range of ring, fork, hook, pin and connecting terminals and connectors.



KISTENMACHER series Heat Shrinkable Tubes Shrink Ratio 2:1

KISTENMACHER thin wall Heat Shrinkable Tubes provide an easy to use and durable solution for the protection of cable and cable connections. KISTENMACHER heat shrinkable tubes will work reliably in temperatures from – 40°C up to +125°C and provide flame retardancy and UV resistance. The field of application ranges from installation in communication, electronics and aviation to maintenance and cable indexing. Installation of KISTENMACHER Heat Shrinkable tubes can be done with any standard hot air gun with best performance.

Standard color: **Black, White, Red, Yellow, Blue, Green, other colors on request.**



KISTENMACHER series Cable Ties

All KISTENMACHER Cable Ties are one piece moulded mechanism with no metal barbs or cumbersome wedges, moulded of the finest virgin Nylon 6/6, self-extinguishing UL-94 flam. Class: V-2, V-0 available upon request.

Bent tip, finger grip tip, low threading force, no sharp edges ensure easier handling and installation to increase productivity and reduce your installation costs.

Standard colors: natural nylon, Pigmented black optional. Other colors available upon request. Special ultraviolet (UV) ray resistant and heat stabilized ties for outdoor applications are available upon request



KISTENMACHER series Cable Glands

Nylon Cable glands, grey and black colour — other colors on request including Locknut, IP 68, Temperature Resistance – 40° to + 100°C, Made of nylon (PA 66)

Glands are available with or without additional rubber rings.

Fire retardant cable glands and brass cable glands are available, as well.



KISTENMACHER series Tubular Cable Lugs, Butt Connectors

Copper Cable Lugs and butt connectors are available in all standard sizes and shapes.

These items are best used with the KISTENMACHER tools on pages 3 and 4 in this leaflet.



KISTENMACHER series Splicing Kits

KISTENMACHER splicing kits offer a high-grade solution for joining cables. They are suitable for all electrical installation work on all types of plastic cables and those made of PVC, PE, EPR and VPE (e.g. NYY, NYCWY) in the low voltage system.



E.G. Kistenmacher GmbH & Co. KG
Sachsenstrasse 5
20097 Hamburg / Germany
Phone: +49-40-2369-850
Fax: +49-40-2369-8510
Email: info@kistenmacher.de



Claus-D. Hochbaum
P.O. Box 4501
21412 Jeddah / Saudi Arabia
Phone: +966-50-564-99-70
Fax: +966-2-691-3605
Email: kistenmacher-jeddah@gmx.net



E.G. Kistenmacher GmbH & Co.KG
(Rep Office)
P.O. Box 3775
Dubai / U A E
Phone: +971-4-2221-849
Fax: +971-4-2225-274
Email: egkdx@emirates.net.ae



E.G. Kistenmacher & Co
(Hong Kong) Ltd
22E Capital Trade Centre
62 Tsun Yip Street
Kwun Tong, Kowloon / Hong Kong
Phone: +852-2887-6060
Fax: +852-2887-6097
Email: info@kistenmacher.cn