



ELEGANCE RANGE

Elegant design with screwless
Different colours are available



MORE >>

CP100LG	1 gang light golden cover	CP200LG	2 gang light golden cover
CP100CF	1 gang coffee cover	CP200CF	2 gang coffee cover
CP100GR	1 gang grey cover	CP200GR	2 gang grey cover
CP100WD	1 gang wooden cover	CP200WD	2 gang wooden cover
CP100GE	1 gang golden cover	CP200GE	2 gang golden cover
CP100DGE	1 gang dark golden cover	CP200DGE	2 gang dark golden cover
CP100CE	1 gang chrome cover	CP200CE	2 gang chrome cover
CP100CM	1 gang beige cover	CP200CM	2 gang beige cover
CP100DGUV	1 gang dark golden cover with UV	CP200DGUV	2 gang dark golden cover with UV
CP100GRUV	1 gang grey cover with UV	CP200GRUV	2 gang grey cover with UV

Elegance Range

Different colours are available

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	C301	1 gang 1 way switch	100pcs	0.0286
	C302	1 gang 2 way switch	100pcs	0.0286
	C313	1 gang 2 way intermediate switch	100pcs	0.0286
	C314	1 gang 2 way IP switch	100pcs	0.0286
	C303	2 gang 1 way switch	100pcs	0.0286
	C304	2 gang 2 way switch	100pcs	0.0286
	C305	3 gang 1 way switch	100pcs	0.0286
	C306	3 gang 2 way switch	100pcs	0.0286
	C363	4 gang 1 way switch(3x3)	100pcs	0.0331
	C364	4 gang 2 way switch(3x3)	100pcs	0.0331
	C365	5 gang 1 way switch(3x3)	100pcs	0.0331
	C366	5 gang 2 way switch(3x3)	100pcs	0.0331
	C307	4 gang 1 way switch(3x6)	50pcs	0.0252
	C308	4 gang 2 way switch(3x6)	50pcs	0.0252
	C309	6 gang 1 way switch	50pcs	0.0252
	C310	6 gang 2 way switch	50pcs	0.0252
	C301W	1 gang 1 way switch(wide dolly)	100pcs	0.0286
	C302W	1 gang 2 way switch(wide dolly)	100pcs	0.0286
	C303W	2 gang 1 way switch(wide dolly)	100pcs	0.0286
	C304W	2 gang 2 way switch(wide dolly)	100pcs	0.0286
	C305W	3 gang 1 way switch(wide dolly)	100pcs	0.0286



C301 C302



C303W C304W

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes
- Life: 10 Year Guarantee

Elegance Range

Different colours are available

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	C306W	3 gang 2 way switch(wide dolly)	100pcs	0.0286
	C363W	4 gang 1 way switch(3x3)(wide dolly)	100pcs	0.0331
	C364W	4 gang 2 way switch(3x3)(wide dolly)	100pcs	0.0331

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes
- Life: 10 Year Guarantee

>> BELL SWITCH & HIGH-OFF-LOW SWITCH & KEY SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	C316	10A bell switch(press)	100pcs	0.0286
	C317	10A bell switch(bell)	100pcs	0.0286
	C317W	10A bell switch(bell)(wide dolly)	100pcs	0.0286
	C360	10A bell switch(lamp)	100pcs	0.0286
	C318	10A bell switch(press)+neon	100pcs	0.0286
	C319	10A bell switch(bell)+neon	100pcs	0.0286
	C361	10A bell switch(lamp)+neon	100pcs	0.0286
	C311	1 gang 1 way 3 pole fan switch	100pcs	0.0286
	C312	1 gang 1 way 3 pole plate switch	100pcs	0.0286
	C315	1 gang high-off-low switch	100pcs	0.0331
	C362	2 gang high-off-low switch	100pcs	0.0331
	C322	key switch	80pcs	0.0331



C317

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes
- Life: 10 Year Guarantee

Elegance Range

Different colours are available

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	C324	20A 1 gang double pole switch+neon	100pcs	0.0286
	C324W	20A 1 gang double pole switch+neon (wide dolly)	100pcs	0.0286
	C325	20A 1 gang double pole switch	100pcs	0.0286
	C327	45A 1 gang double pole switch+neon, single plate	100pcs	0.0331
	C328	45A 1 gang double pole switch, single plate	100pcs	0.0331
	C329	45A 1 gang double pole switch+neon, double plate	50pcs	0.0331
	C330	45A 1 gang double pole switch, double plate	50pcs	0.0331
	C331	45A switch+neon+13A switched socket+neon	50pcs	0.0331
	C332	45A switch+13A switched socket	50pcs	0.0331



C331

- Conform to BS EN 60 669-1
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes
- Life: 10 Year Guarantee

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	C350	250W 1 gang dimmer switch, single pole	100pcs	0.0331
	C351	250W 1 gang speed switch	100pcs	0.0331
	C353	250W 2 gang dimmer switch, single pole	50pcs	0.0252
	C352	400W 1 gang dimmer switch, single pole	100pcs	0.0331
	C354	400W 2 gang dimmer switch, single pole	50pcs	0.0252
	C355	500W 1 gang dimmer switch, single pole	100pcs	0.0331
	C356	500W 2 gang dimmer switch, single pole	50pcs	0.0252
	C555	1000W 1 gang dimmer switch, single pole	50pcs	0.0252
	C556	1000W 2 gang dimmer switch, single pole	30pcs	0.0252
	C357	500W 3 gang dimmer switch, single pole	20pcs	0.0252
	C358	500W 4 gang dimmer switch, single pole	20pcs	0.0252



C351

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes
- Life: 2 Year Guarantee

Elegance Range

Different colours are available

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C403	13A 1 gang unswitched socket	100pcs	0.0286
	C404	13A 2 gang unswitched socket	50pcs	0.0252
	C405	13A 1 gang switched socket, single pole	100pcs	0.0286
	C406	13A 2 gang switched socket, single pole	50pcs	0.0252
	C409	13A 1 gang switched socket, double pole	100pcs	0.0286
	C410	13A 2 gang switched socket, double pole	50pcs	0.0252
	C407	13A 1 gang switched socket, single pole+neon	100pcs	0.0286
	C407M	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.0286
	C408	13A 2 gang switched socket, single pole+neon	50pcs	0.0252
	C411	13A 1 gang switched socket, double pole+neon	100pcs	0.0286
	C412	13A 2 gang switched socket, double pole+neon	50pcs	0.0252



C405



C408

- Conform to BS 1363: Part 2
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes
- Life: 10 Year Guarantee

>> 2 AMP & 5 AMP & 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C426	5A 1 gang round-pin socket	100pcs	0.0286
	C427	15A 1 gang round-pin socket	100pcs	0.0331
	C455	2A 1 gang round-pin socket	100pcs	0.0286
	C428	5A 1 gang switched round-pin socket	100pcs	0.0286
	C429	15A 1 gang switched round-pin socket	100pcs	0.0331
	C529	15A 2 gang switched round-pin socket	50pcs	0.0286
	C430	5A 1 gang switched round-pin socket+neon	100pcs	0.0331
	C431	15A 1 gang switched round-pin socket+neon	100pcs	0.0331



C429

- Conform to BS 546
- Material: Polycarbonate
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes
- Life: 10 Year Guarantee

Elegance Range


Different colours are available

>> 3,5,13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	C413	13A fused connection unit+neon	100pcs	0.0286
	C414	5A fused connection unit+neon	100pcs	0.0286
	C415	3A fused connection unit+neon	100pcs	0.0286
	C416	13A fused connection unit	100pcs	0.0286
	C417	5A fused connection unit	100pcs	0.0286
	C418	3A fused connection unit	100pcs	0.0286
	C419	13A switched FCU'S+neon	100pcs	0.0286
	C420	5A switched FCU'S+neon	100pcs	0.0286
	C421	3A switched FCU'S+neon	100pcs	0.0286
	C422	13A switched FCU'S	100pcs	0.0286
	C423	5A switched FCU'S	100pcs	0.0286
	C424	3A switched FCU'S	100pcs	0.0286
	C519	13A switched FCU'S+neon,slim plate	100pcs	0.0286



- Lockable fuse carrier for safety isolation
- Conform to BS 1363: Part 4
- Material: Polycarbonate
- Dimension: 86.5*86.5 mm (1 gang)
- Supplied with 2 screws M3.5 for BS boxes
- Life: 10 Year Guarantee



Elegance Range

Different colours are available

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C432	coaxial socket,single outlet	100pcs	0.0286
	C433	coaxial socket,twin outlet	100pcs	0.0286
	C434	isolated coaxial socket,single outlet	100pcs	0.0286
	C435	isolated coaxial socket,single outlet +one branch	100pcs	0.0286
	C436	isolated coaxial socket,twin outlet	100pcs	0.0286
	C437	isolated coaxial socket,twin outlet +one branch	100pcs	0.0286
	C165	single satellite socket	100pcs	0.0331
	C166	single satellite socket	100pcs	0.0331
	C167	satellite socket and isolated coaxial socket	100pcs	0.0331
	C168	double satellite socket	100pcs	0.0331



>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	C444	16A 2 gang multi-function socket	100pcs	0.0331
	C445	16A 1 gang multi-function socket+20A single pole switch	100pcs	0.0331
	C446	16A 1 gang multi-function socket+20A double pole switch	100pcs	0.0331
	C458	shaver socket	25pcs	0.0331
	C460	16A 1 gang multi-function socket	100pcs	0.0331
	C449	127V/220V voltare socket	100pcs	0.0331
	C461	16A 1 gang multi function socket with earth	100pcs	0.0331














- Material: Polycarbonate
- Dimension: 86.5*86.5 mm (1 gang)
86.5*146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes
- Life: 10 Year Guarantee

Elegance Range

Different colours are available

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	C452	telephone socket	100pcs	0.0286
	C438	1 gang telephone socket,secondary	100pcs	0.0286
	C439	1 gang telephone socket,master	100pcs	0.0286
	C440	2 gang telephone socket,secondary	100pcs	0.0286
	C441	2 gang telephone socket,master	100pcs	0.0286
	C442	1 gang RJ45 data socket(8 terminal)	100pcs	0.0331
	C443	2 gang RJ45 data socket(8 terminal)	100pcs	0.0331
	C462	1 gang RJ11 data socket(6 terminal)	100pcs	0.0331
	C463	2 gang RJ11 data socket(6 terminal)	100pcs	0.0331
	C464	1 gang RJ11 data socket(4 terminal)	100pcs	0.0331
	C465	2 gang RJ11 data socket(4 terminal)	100pcs	0.0331



C452



>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	C820	20A connection plate	100pcs	0.0286
	C821	45A connection plate	100pcs	0.0331
	C401	1 gang blank plate	200pcs	0.0286
	C402	2 gang blank plate	100pcs	0.0252



C401

- Conform to BS 5733
- Material: Polycarbonate
- Dimension: 86.5*86.5 mm (1 gang)
86.5*146.5 mm (2 gang)
- Supplied with 2 screws M3.5 for BS boxes
- Life: 10 Year Guarantee

Product characteristic:
The switch contacts are made of high quality silver alloy material, which has a good performance against electric arc and melt weld. The on-off operations exceed 40000 times.

The sockets are made of phosphor bronze, which have the character of good electrical conductivity and lasting elasticity.