



## METAL CLAD RANGE

Manufactured from high quality steel with stylish good looks, ReliteElegance Metal clad range has a striking appearance with flush fitting front plates and discreet neons. ReliteElegance Metal clad, rugged reliability with style.



## Metal Clad Range

### >> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	M301	1 gang 1 way switch	100pcs	0.0416
	M302	1 gang 2 way switch	100pcs	0.0416
	M303	2 gang 1 way switch	100pcs	0.0416
	M304	2 gang 2 way switch	100pcs	0.0416
	M305	3 gang 1 way switch	100pcs	0.0416
	M306	3 gang 2 way switch	100pcs	0.0416
	M307	4 gang 1 way switch(3x6)	50pcs	0.0385
	M308	4 gang 2 way switch(3x6)	50pcs	0.0385
	M309	6 gang 1 way switch	50pcs	0.0385
	M310	6 gang 2 way switch	50pcs	0.0385



M301 M302



M305 M306

- Conform to BS EN 60 669-1
- Dimension: 86.5x86.5 mm (1 gang)  
86.5x146.5 mm (2 gang)
- Life: 10 Year Guarantee

### >> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	M316	10A bell switch(press)	100pcs	0.0416
	M317	10A bell switch(bell)	100pcs	0.0416



M317

ReliteElegance metal clad switch & socket are ideal for use in all commercial and light industrial applications such as workshops, factories, warehouses, laboratories and hospitals as well as domestic applications in lofts and garages.

All metal clad sockets and switches are supplied with back boxes

## Metal Clad Range

### >> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	M324	20A 1 gang double pole switch+neon	100pcs	0.0416
	M325	20A 1 gang double pole switch	100pcs	0.0416
	M327	45A 1 gang double pole switch+neon, single plate	100pcs	0.0385
	M328	45A 1 gang double pole switch, single plate	100pcs	0.0385
	M329	45A 1 gang double pole switch+neon, double plate	50pcs	0.0385
	M330	45A 1 gang double pole switch, double plate	50pcs	0.0385



M324

- Conform to BS EN 60 669-1
- Dimension: 86.5x86.5 mm (1 gang)  
86.5x146.5 mm (2 gang)
- Life: 10 Year Guarantee

### >> 13 AMP SOCKET OUTLETS





Picture	No.	Description	Carton	Volume(cbm)
	M405	13A 1 gang switched socket, single pole	100pcs	0.0416
	M406	13A 2 gang switched socket, single pole	50pcs	0.0385
	M409	13A 1 gang switched socket, double pole	100pcs	0.0416
	M410	13A 2 gang switched socket, double pole	50pcs	0.0385



M405

- Conform to BS 1363: Part 2
- Dimension: 86.5x86.5 mm (1 gang)  
86.5x146.5 mm (2 gang)
- Life: 10 Year Guarantee

### >> 3,5,13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	M413	13A fused connection unit+neon	100pcs	0.0416
	M416	13A fused connection unit	100pcs	0.0416
	M419	13A switched FCU'S+neon	100pcs	0.0416
	M422	13A switched FCU'S	100pcs	0.0416



M419

- Lockable face carrier for safety isolation
- Conform to BS 1363: Part 4
- Dimension: 86.5x86.5 mm (1 gang)
- Life: 10 Year Guarantee



## Metal Clad Range

### >> 2 AMP & 5 AMP & 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M428	5A 1 gang switched round-pin socket	100pcs	0.0416
	M429	15A 1 gang switched round-pin socket	100pcs	0.0416
	M529	15A 2 gang switched round-pin socket	50pcs	0.0385



M428

- Conform to BS 546
- Dimension: 86.5\*86.5 mm (1 gang)
- Life: 10 Year Guarantee

### >> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M434	isolated coaxial socket,single outlet	100pcs	0.0416
	M435	isolated coaxial socket,single outlet +one branch	100pcs	0.0416
	M436	isolated coaxial socket,twin outlet	100pcs	0.0416
	M437	isolated coaxial socket,twin outlet +one branch	100pcs	0.0416
	M166	single satellite socket	100pcs	0.0416



M435

### >> KNOCKOUT BOX










Picture	No.	Description	Carton	Volume(cbm)
	M831	40mm 1 gang cavity box+knockout	100pcs	0.0416
	M832	40mm 2 gang cavity box+knockout	50pcs	0.0385
	M833	50mm 1 gang cavity box+knockout	100pcs	0.0416
	M834	50mm 2 gang cavity box+knockout	50pcs	0.0385



M831 / M832

## Metal Clad Range

### >> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	M438	1 gang telephone socket,secondary	100pcs	0.0416
	M439	1 gang telephone socket,master	100pcs	0.0416
	M440	2 gang telephone socket,secondary	100pcs	0.0416
	M441	2 gang telephone socket,master	100pcs	0.0416
	M442	1 gang RJ45 data socket(8 terminal)	100pcs	0.0416
	M443	2 gang RJ45 data socket(8 terminal)	100pcs	0.0416
	M462	1 gang RJ11 data socket(6 terminal)	100pcs	0.0416
	M463	2 gang RJ11 data socket(6 terminal)	100pcs	0.0416
	M464	1 gang RJ11 data socket(4 terminal)	100pcs	0.0416
	M465	2 gang RJ11 data socket(4 terminal)	100pcs	0.0416



M438

### >> BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	M401	1 gang blank plate	100pcs	0.0416
	M402	2 gang blank plate	50pcs	0.0385



M401

- Conform to BS 5733
- Dimension: 86.5\*86.5 mm (1 gang)  
86.5\*146.5 mm (2 gang)
- Life: 10 Year Guarantee

ReliteElegance metal clad is designed to withstand everyday knocks and scrapes. The durable and tough finish is further enhanced by a superb protective coating to stand up to arduous duty in virtually any environment.