

SON-1

SON-T 1000W E E40 1SL/4

High Pressure Sodium lamp with clear tubular outer bulb

Product data

General Information

Cap-Base E40 [E40] Bulb Shape T65 [T 65mm] Operating Position Life To 5% Failures UNIVERSAL [Any or Universal (U)] 8000 h (Nom) Life To 20% Failures 14000 h (Nom) Life To 50% Failures 20000 h (Nom) System Description External Ignitor

• Light Technical

Color Code Luminous Flux (Rated) (Min) Luminous Flux (Rated) (Nom) Lumen Maintenance 2000 h (Min) Lumen Maintenance 2000 h (Nom) Lumen Maintenance 5000 h (Min) Lumen Maintenance 5000 h (Nom) Correlated Color Temperature (Nom) Luminous Efficacy (rated) (Nom) Color Rendering Index (Max) Color Rendering Index (Nom)

220 [CCT of 2000K] 117000 lm 130000 lm 90 % 95 %

80 % 90 %

2000 K 130 lm/W

25

.....

Voltage (Min) Voltage (Nom)

• Operating and Electrical

Lamp Current (EM)

Ignition Peak Voltage

Re-Ignition Time

(Min) (Max) Ignition Time (Max)

Voltage (Max)

960.0 W

10.6 A

198 V

3000 V

240 s

10 s

85 V 100 V

115 V

Power (Rated)

Ignition Supply

Voltage (Max)

(Nom)

(Nom)

(Max)

 Controls and Dimming Dimmable Yes Run-Up Time 90% 6 min (Max)

• Mechanical and Housing

Bulb Finish Clear Cap-Base Information

• Approval and Application

Energy Efficiency A+ Label (EEL) Mercury (Hg) Content (Nom) 34.0 mg 1056 kWh Energy Consumption kWh/1000 h



Luminaire Design Requirements		
Bulb Temperature	450 °C	
(Max) Cap-Base Tempera-	250 °C	
ture (Max)		

• Product Data

Full product code 871150021060945

Warnings and Safety


- Control gear must include end-of-life protection (IEC60662, IEC 62035)
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and

Dimensional drawing

Order product name EAN/UPC - Product Order code Numerator - Quantity Per Pack Numerator - Packs per outer box Material Nr. (12NC) Net Weight (Piece)

SON-T 1000W E E40 1SL/4 8711500210609 928487400091 1 4 928487400091 0.404 kg

remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.




SON-T 1000W E E40

Product	D	0	L	С
SON-T 1000W E E40 1SL/4	66 mm	145 mm	240 mm	390 mm



Photometric data





© 2015 Philips Lighting Holding B.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting