




## VIP RANGE

Where style and elegance are of paramount importance, the ReliteElegance Screwless range delivers a sleek, polished appearance whilst maintaining the highest standards of functionality.



## VIP Frame Range

### >> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	VF301Y	1 gang 1 way switch	40pcs	0.0221
	VF302Y	1 gang 2 way switch	40pcs	0.0221
	VF313Y	1 gang 2 way intermediate switch	40pcs	0.0221
	VF303Y	2 gang 1 way switch	40pcs	0.0221
	VF304Y	2 gang 2 way switch	40pcs	0.0221
	VF305Y	3 gang 1 way switch	40pcs	0.0221
	VF306Y	3 gang 2 way switch	40pcs	0.0221
	VF307Y	4 gang 1 way switch(3x6)	20pcs	0.0170
	VF308Y	4 gang 2 way switch(3x6)	20pcs	0.0170
	VF309Y	6 gang 1 way switch	20pcs	0.0170
	VF310Y	6 gang 2 way switch	20pcs	0.0170



VF303Y



VF305Y

### >> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	VF316Y	10A bell switch(press)	40pcs	0.0221
	VF317Y	10A bell switch(bell)	40pcs	0.0221
	VF360Y	10A bell switch(lamp)	40pcs	0.0221



VF317Y

#### REMARKS:

All products available with either white or black inserts.

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

## VIP Frame Range

### >> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	VF374Y	20A 1 gang double pole switch+neon	40pcs	0.0221
	VF375Y	20A 1 gang double pole switch	40pcs	0.0221
	VF324Y	20A 1 gang double pole switch+neon +F/outlet	40pcs	0.0221
	VF325Y	20A 1 gang double pole switch+F/outlet	40pcs	0.0221
	VF327Y	45A 1 gang double pole switch+neon, single plate	40pcs	0.0221
	VF328Y	45A 1 gang double pole switch single plate	40pcs	0.0221
	VF329Y	45A 1 gang double pole switch+neon, single plate	20pcs	0.0170
	VF330Y	45A 1 gang double pole switch double plate	20pcs	0.0170
	VF331Y	45A switch+neon+13A switch double pole	20pcs	0.0170
	VF332Y	45A switch+13A switched socket	20pcs	0.0170



VF327Y

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

### >> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	VF350Y	250W 1 gang dimmer switch, single pole	32pcs	0.0221
	VF351Y	250W 1 gang speed switch	32pcs	0.0221
	VF353Y	250W 2 gang dimmer switch, single pole	32pcs	0.0221
	VF352Y	400W 1 gang dimmer switch, single pole	32pcs	0.0221
	VF354Y	400W 2 gang dimmer switch, single pole	32pcs	0.0221
	VF355Y	500W 1 gang dimmer switch, single pole	32pcs	0.0221
	VF356Y	500W 2 gang dimmer switch, single pole	32pcs	0.0221
	VF555Y	1000W 1 gang dimmer switch, single pole	32pcs	0.0221
	VF556Y	1000W 2 gang dimmer switch, single pole	20pcs	0.0170



VF555Y

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)
- Life: 2 Year Guarantee

## VIP Frame Range

### >> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VF405Y	13A 1 gang switched socket, single pole	40pcs	0.0221
	VF406Y	13A 2 gang switched socket, single pole	20pcs	0.0170
	VF409Y	13A 1 gang switched socket, double pole	40pcs	0.0221
	VF410Y	13A 2 gang switched socket, double pole	20pcs	0.0170
	VF407Y	13A 1 gang switched socket, single pole+neon	40pcs	0.0221
	VF408Y	13A 2 gang switched socket, single pole+neon	20pcs	0.0170
	VF411Y	13A 1 gang switched socket, double pole+neon	40pcs	0.0221
	VF412Y	13A 2 gang switched socket, double pole+neon	20pcs	0.0170



- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

## VIP Frame Range

### >> 2 AMP & 5 AMP & 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VF426Y	5A 1 gang round-pin socket	40pcs	0.0221
	VF427Y	15A 1 gang round-pin socket	40pcs	0.0221
	VF455Y	2A 1 gang round-pin socket	40pcs	0.0221
	VF428Y	5A 1 gang switched round-pin socket	40pcs	0.0221
	VF429Y	15A 1 gang switched round-pin socket	40pcs	0.0221
	VF430Y	5A 1 gang switched round-pin socket+neon	40pcs	0.0221
	VF431Y	15A 1 gang switched round-pin socket+neon	40pcs	0.0221



- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

### >> 3,5,13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	VF413Y	13A fused connection unit+neon	40pcs	0.0221
	VF416Y	13A fused connection unit	40pcs	0.0221
	VF419Y	13A switched FCU'S+neon	40pcs	0.0221
	VF422Y	13A switched FCU'S	40pcs	0.0221
	VF519Y	13A switched FCU'S+neon+F/outlet	40pcs	0.0221
	VF522Y	13A switched FCU'S+F/outlet	40pcs	0.0221



- Lockable fuse carrier for safety isolation
- Conform to BS 1363: Part 4
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
- Life: 10 Year Guarantee

### >> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VF432Y	coaxial socket,single outlet	40pcs	0.0221
	VF433Y	coaxial socket,twin outlet	40pcs	0.0221
	VF434Y	isolated coaxial socket,single pole	40pcs	0.0221
	VF435Y	isolated coaxial socket,single outlet +one branch	40pcs	0.0221
	VF436Y	isolated coaxial socket,twin outlet	40pcs	0.0221
	VF437Y	isolated coaxial socket,twin outlet +one branch	40pcs	0.0221
	VF166Y	single satellite socket	40pcs	0.0221
	VF167Y	satellite socket and isolated coaxial socket	40pcs	0.0221
	VF168Y	double satellite socket	40pcs	0.0221



FINISHES	
J	Brushed golden
Y	Brushed silver
PG	Polished golden
PS	Polished silver
BN	Black nickel
SC	Satin chrome
SG	Satin golden



# VIP Frame Range

## >> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VF438Y	1 gang telephone socket,secondary	40pcs	0.0221
	VF439Y	1 gang telephone socket,masler	40pcs	0.0221
	VF440Y	2 gang telephone socket,secondary	40pcs	0.0221
	VF441Y	2 gang telephone socket,masler	40pcs	0.0221
	VF442Y	1 gang RJ45 data socket(8 terminal)	40pcs	0.0221
	VF443Y	2 gang RJ45 data socket(8 terminal)	40pcs	0.0221
	VF462Y	1 gang RJ11 data socket(6 terminal)	40pcs	0.0221
	VF463Y	2 gang RJ11 data socket(6 terminal)	40pcs	0.0221
	VF464Y	1 gang RJ11 data socket(4 terminal)	40pcs	0.0221
	VF465Y	2 gang RJ11 data socket(4 terminal)	40pcs	0.0221




## >> BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	VF401Y	1 gang blank plate	40pcs	0.0221
	VF402Y	2 gang blank plate	20pcs	0.0170



- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee



## VIP Curved Range

### >> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	VC301Y	1 gang 1 way switch	40pcs	0.0221
	VC302Y	1 gang 2 way switch	40pcs	0.0221
	VC313Y	1 gang 2 way intermediate switch	40pcs	0.0221
	VC303Y	2 gang 1 way switch	40pcs	0.0221
	VC304Y	2 gang 2 way switch	40pcs	0.0221
	VC305Y	3 gang 1 way switch	40pcs	0.0221
	VC306Y	3 gang 2 way switch	40pcs	0.0221
	VC307Y	4 gang 1 way switch(3x6)	20pcs	0.0170
	VC308Y	4 gang 2 way switch(3x6)	20pcs	0.0170
	VC309Y	6 gang 1 way switch	20pcs	0.0170
	VC310Y	6 gang 2 way switch	20pcs	0.0170



VC301Y



VC305Y

### >> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	VC316Y	10A bell switch(press)	40pcs	0.0221
	VC317Y	10A bell switch(bell)	40pcs	0.0221
	VC360Y	10A bell switch(lamp)	40pcs	0.0221



VC317Y

#### REMARKS:

All products available with either white or black inserts.

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5x86.5 mm (1 gang)  
86.5x146.5 mm (2 gang)
- Life: 10 Year Guarantee

## VIP Curved Range

### >> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	VC374Y	20A 1 gang double pole switch+neon	40pcs	0.0221
	VC375Y	20A 1 gang double pole switch	40pcs	0.0221
	VC324Y	20A 1 gang double pole switch+neon +F/outlet	40pcs	0.0221
	VC325Y	20A 1 gang double pole switch+F/outlet	40pcs	0.0221
	VC327Y	45A 1 gang double pole switch+neon, single plate	40pcs	0.0221
	VC328Y	45A 1 gang double pole switch single plate	40pcs	0.0221
	VC329Y	45A 1 gang double pole switch+neon, single plate	20pcs	0.0170
	VC330Y	45A 1 gang double pole switch double plate	20pcs	0.0170
	VC331Y	45A switch+neon+13A switch double pole	20pcs	0.0170
	VC332Y	45A switch+13A switched socket	20pcs	0.0170



VC374Y



VC324Y

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5x86.5 mm (1 gang)  
86.5x146.5 mm (2 gang)
- Life: 10 Year Guarantee

### >> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	VC350Y	250W 1 gang dimmer switch, single pole	32pcs	0.0221
	VC351Y	250W 1 gang speed switch	32pcs	0.0221
	VC353Y	250W 2 gang dimmer switch, single pole	32pcs	0.0221
	VC352Y	400W 1 gang dimmer switch, single pole	32pcs	0.0221
	VC354Y	400W 2 gang dimmer switch, single pole	32pcs	0.0221
	VC355Y	500W 1 gang dimmer switch, single pole	32pcs	0.0221
	VC356Y	500W 2 gang dimmer switch, single pole	32pcs	0.0221
	VC555Y	1000W 1 gang dimmer switch, single pole	32pcs	0.0221
	VC556Y	1000W 2 gang dimmer switch, single pole	20pcs	0.0170



VC355Y

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5x86.5 mm (1 gang)  
86.5x146.5 mm (2 gang)
- Life: 2 Year Guarantee

## VIP Curved Range

### >> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VC405Y	13A 1 gang switched socket, single pole	40pcs	0.0221
	VC406Y	13A 2 gang switched socket, single pole	20pcs	0.0170
	VC409Y	13A 1 gang switched socket, double pole	40pcs	0.0221
	VC410Y	13A 2 gang switched socket, double pole	20pcs	0.0170
	VC407Y	13A 1 gang switched socket, single pole+neon	40pcs	0.0221
	VC408Y	13A 2 gang switched socket, single pole+neon	20pcs	0.0170
	VC411Y	13A 1 gang switched socket, double pole+neon	40pcs	0.0221
	VC412Y	13A 2 gang switched socket, double pole+neon	20pcs	0.0170



VC405Y

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 85.5\*86.5 mm (1 gang)  
85.5\*146.5 mm (2 gang)
- Life: 10 Year Guarantee

### >> 3,5,13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	VC413Y	13A fused connection unit+neon	40pcs	0.0221
	VC416Y	13A fused connection unit	40pcs	0.0221
	VC418Y	13A switched FCU'S+neon	40pcs	0.0221
	VC422Y	13A switched FCU'S	40pcs	0.0221
	VC518Y	13A switched FCU'S+neon+F/outlet	40pcs	0.0221
	VC522Y	13A switched FCU'S+F/outlet	40pcs	0.0221



VC418Y

- Lockable fuse carrier for safety isolation
- Conform to BS 1363: Part 4
- Material: Stainless Steel
- Dimension: 85.5\*86.5 mm (1 gang)
- Life: 10 Year Guarantee

## VIP Curved Range

### >> 2 AMP & 5 AMP & 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VC426Y	5A 1 gang round-pin socket	40pcs	0.0221
	VC427Y	15A 1 gang round-pin socket	40pcs	0.0221
	VC455Y	2A 1 gang round-pin socket	40pcs	0.0221
	VC428Y	5A 1 gang switched round-pin socket	40pcs	0.0221
	VC429Y	15A 1 gang switched round-pin socket	40pcs	0.0221
	VC430Y	5A 1 gang switched round-pin socket+neon	40pcs	0.0221
	VC431Y	15A 1 gang switched round-pin socket+neon	40pcs	0.0221



VC429Y

- Conform to BS 546
- Material: Stainless Steel
- Dimension: 85.5\*86.5 mm (1 gang)
- Life: 10 Year Guarantee

### >> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VC432Y	coaxial socket,single outlet	40pcs	0.0221
	VC433Y	coaxial socket,twin outlet	40pcs	0.0221
	VC434Y	isolated coaxial socket,single pole	40pcs	0.0221
	VC435Y	isolated coaxial socket,single outlet +one branch	40pcs	0.0221
	VC436Y	isolated coaxial socket,twin outlet	40pcs	0.0221
	VC437Y	isolated coaxial socket,twin outlet +one branch	40pcs	0.0221
	VC166Y	single satellite socket	40pcs	0.0221
	VC167Y	satellite socket and isolated coaxial socket	40pcs	0.0221
	VC168Y	double satellite socket	40pcs	0.0221



VC432Y



VC167Y



# VIP Curved Range

## >> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VC438Y	1 gang telephone socket,secondary	40pcs	0.0221
	VC439Y	1 gang telephone socket,masler	40pcs	0.0221
	VC440Y	2 gang telephone socket,secondary	40pcs	0.0221
	VC441Y	2 gang telephone socket,masler	40pcs	0.0221
	VC442Y	1 gang RJ45 data socket(8 terminal)	40pcs	0.0221
	VC443Y	2 gang RJ45 data socket(8 terminal)	40pcs	0.0221
	VC462Y	1 gang RJ11 data socket(6 terminal)	40pcs	0.0221
	VC463Y	2 gang RJ11 data socket(6 terminal)	40pcs	0.0221
	VC464Y	1 gang RJ11 data socket(4 terminal)	40pcs	0.0221
	VC465Y	2 gang RJ11 data socket(4 terminal)	40pcs	0.0221



## >> BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	VC401Y	1 gang blank plate	40pcs	0.0221
	VC402Y	2 gang blank plate	20pcs	0.0170



FINISHES	
J	Brushed golden
Y	Brushed silver
PG	Polished golden
PS	Polished silver
BN	Black nickel
SC	Satin chrome
SG	Satin golden

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

## VIP Flat Range

### >> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	VP301Y	1 gang 1 way switch	40pcs	0.0221
	VP302Y	1 gang 2 way switch	40pcs	0.0221
	VP313Y	1 gang 2 way intermediate switch	40pcs	0.0221
	VP303Y	2 gang 1 way switch	40pcs	0.0221
	VP304Y	2 gang 2 way switch	40pcs	0.0221
	VP305Y	3 gang 1 way switch	40pcs	0.0221
	VP306Y	3 gang 2 way switch	40pcs	0.0221
	VP307Y	4 gang 1 way switch(3x6)	20pcs	0.0170
	VP308Y	4 gang 2 way switch(3x6)	20pcs	0.0170
	VP309Y	6 gang 1 way switch	20pcs	0.0170
	VP310Y	6 gang 2 way switch	20pcs	0.0170



VP301Y



VP303Y

### >> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	VP316Y	10A bell switch(press)	40pcs	0.0221
	VP317Y	10A bell switch(bell)	40pcs	0.0221
	VP360Y	10A bell switch(lamp)	40pcs	0.0221



VP317Y

#### REMARKS:

All products available with either white or black inserts.

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5x86.5 mm (1 gang)  
86.5x146.5 mm (2 gang)
- Life: 10 Year Guarantee

## VIP Flat Range

### >> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	VP374Y	20A 1 gang double pole switch+neon	40pcs	0.0221
	VP375Y	20A 1 gang double pole switch	40pcs	0.0221
	VP324Y	20A 1 gang double pole switch+neon +F/outlet	40pcs	0.0221
	VP325Y	20A 1 gang double pole switch+F/outlet	40pcs	0.0221
	VP327Y	45A 1 gang double pole switch+neon, single plate	40pcs	0.0221
	VP328Y	45A 1 gang double pole switch single plate	40pcs	0.0221
	VP329Y	45A 1 gang double pole switch+neon, single plate	20pcs	0.0170
	VP330Y	45A 1 gang double pole switch double plate	20pcs	0.0170
	VP331Y	45A switch+neon+13A switch double pole	20pcs	0.0170
	VP332Y	45A switch+13A switched socket	20pcs	0.0170



VP327Y

### >> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	VP350Y	250W 1 gang dimmer switch, single pole	32pcs	0.0221
	VP351Y	250W 1 gang speed switch	32pcs	0.0221
	VP353Y	250W 2 gang dimmer switch, single pole	32pcs	0.0221
	VP352Y	400W 1 gang dimmer switch, single pole	32pcs	0.0221
	VP354Y	400W 2 gang dimmer switch, single pole	32pcs	0.0221
	VP355Y	500W 1 gang dimmer switch, single pole	32pcs	0.0221
	VP356Y	500W 2 gang dimmer switch, single pole	32pcs	0.0221
	VP555Y	1000W 1 gang dimmer switch, single pole	32pcs	0.0221
	VP556Y	1000W 2 gang dimmer switch, single pole	20pcs	0.0170



VP350Y

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5x86.5 mm (1 gang)  
86.5x146.5 mm (2 gang)
- Life: 2 Year Guarantee



## VIP Flat Range

### >> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VP405Y	13A 1 gang switched socket, single pole	40pcs	0.0221
	VP406Y	13A 2 gang switched socket, single pole	20pcs	0.0170
	VP409Y	13A 1 gang switched socket, double pole	40pcs	0.0221
	VP410Y	13A 2 gang switched socket, double pole	20pcs	0.0170
	VP407Y	13A 1 gang switched socket, single pole+neon	40pcs	0.0221
	VP408Y	13A 2 gang switched socket, single pole+neon	20pcs	0.0170
	VP411Y	13A 1 gang switched socket, double pole+neon	40pcs	0.0221
	VP412Y	13A 2 gang switched socket, double pole+neon	20pcs	0.0170



VP407Y

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5\*86.5 mm (1 gang)  
86.5\*146.5 mm (2 gang)
- Life: 10 Year Guarantee

### >> 3,5,13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	VP413Y	13A fused connection unit+neon	40pcs	0.0221
	VP416Y	13A fused connection unit	40pcs	0.0221
	VP419Y	13A switched FCU'S+neon	40pcs	0.0221
	VP422Y	13A switched FCU'S	40pcs	0.0221
	VP519Y	13A switched FCU'S+neon+F/outlet	40pcs	0.0221
	VP522Y	13A switched FCU'S+F/outlet	40pcs	0.0221



VP419Y

- Lockable fuse carrier for safety isolation
- Conform to BS 1363: Part 4
- Material: Stainless Steel
- Dimension: 86.5\*86.5 mm (1 gang)
- Life: 10 Year Guarantee

## VIP Flat Range

### >> 2 AMP & 5 AMP & 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VP426Y	5A 1 gang round-pin socket	40pcs	0.0221
	VP427Y	15A 1 gang round-pin socket	40pcs	0.0221
	VP455Y	2A 1 gang round-pin socket	40pcs	0.0221
	VP428Y	5A 1 gang switched round-pin socket	40pcs	0.0221
	VP429Y	15A 1 gang switched round-pin socket	40pcs	0.0221
	VP430Y	5A 1 gang switched round-pin socket+neon	40pcs	0.0221
	VP431Y	15A 1 gang switched round-pin socket+neon	40pcs	0.0221



VP426Y

- Conform to BS 546
- Material: Stainless Steel
- Dimension: 86.5\*86.5 mm (1 gang)
- Life: 10 Year Guarantee

### >> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VP432Y	coaxial socket, single outlet	40pcs	0.0221
	VP433Y	coaxial socket, twin outlet	40pcs	0.0221
	VP434Y	isolated coaxial socket, single pole	40pcs	0.0221
	VP435Y	isolated coaxial socket, single outlet +one branch	40pcs	0.0221
	VP436Y	isolated coaxial socket, twin outlet	40pcs	0.0221
	VP437Y	isolated coaxial socket, twin outlet +one branch	40pcs	0.0221
	VP166Y	single satellite socket	40pcs	0.0221
	VP167Y	satellite socket and isolated coaxial socket	40pcs	0.0221
	VP168Y	double satellite socket	40pcs	0.0221



VP432Y



VP167Y

# VIP Flat Range

## >> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	VP438Y	1 gang telephone socket,secondary	40pcs	0.0221
	VP439Y	1 gang telephone socket,maser	40pcs	0.0221
	VP440Y	2 gang telephone socket,secondary	40pcs	0.0221
	VP441Y	2 gang telephone socket,maser	40pcs	0.0221
	VP442Y	1 gang RJ45 data socket(8 terminal)	40pcs	0.0221
	VF443Y	2 gang RJ45 data socket(8 terminal)	40pcs	0.0221
	VP462Y	1 gang RJ11 data socket(6 terminal)	40pcs	0.0221
	VP463Y	2 gang RJ11 data socket(6 terminal)	40pcs	0.0221
	VP464Y	1 gang RJ11 data socket(4 terminal)	40pcs	0.0221
	VP465Y	2 gang RJ11 data socket(4 terminal)	40pcs	0.0221




FINISHES	
J	Brushed golden
Y	Brushed silver
PG	Polished golden
PS	Polished silver
BN	Black nickel
SC	Satin chrome
SG	Satin golden

## >> BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	VP401Y	1 gang blank plate	40pcs	0.0221
	VP402Y	2 gang blank plate	20pcs	0.0170



- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)  
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee



Simple release of frontplate by inserting screwdriver into guide