



ReliteElegance®



WHITE RANGE

ReliteElegance white range is of high quality moulded white wiring accessories which has become well established over the last 18 years with proven quality and value.

It is not only suitable for new houses where a conventional look is desirable, but for retrofit in older installations.

White Range

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W301	1 gang 1 way switch	100pcs	0.0286
	W302	1 gang 2 way switch	100pcs	0.0286
	W313	1 gang 2 way intermediate switch	100pcs	0.0286
	W314	1 gang 2 way IP switch	100pcs	0.0286
	W303	2 gang 1 way switch	100pcs	0.0286
	W304	2 gang 2 way switch	100pcs	0.0286
	W305	3 gang 1 way switch	100pcs	0.0286
	W306	3 gang 2 way switch	100pcs	0.0286
	W307	4 gang 1 way switch(3x6)	50pcs	0.0252
	W308	4 gang 2 way switch(3x6)	50pcs	0.0252
	W309	6 gang 1 way switch(3x6)	50pcs	0.0252
	W310	6 gang 2 way switch(3x6)	50pcs	0.0252



W303

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)
- Life: 10 Year Guarantee

White Range

>> BELL SWITCH & HIGH-OFF-LOW SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	W316	10A bell switch(press)	100pcs	0.0286
	W317	10A bell switch(bell)	100pcs	0.0286
	W360	10A bell switch(lamp)	100pcs	0.0286
	W318	10A bell switch(press)+neon	100pcs	0.0286
	W319	10A bell switch(bell)+neon	100pcs	0.0286
	W361	10A bell switch(lamp)+neon	100pcs	0.0286
	W311	1 gang 1 way 3 pole fan switch	100pcs	0.0286
	W312	1 gang 1 way 3 pole plate switch	100pcs	0.0286
	W315	1 gang high-off-low switch	100pcs	0.0331
	W362	2 gang high-off-low switch	100pcs	0.0331



W317

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5x86.5 mm (1 gang)
- Life: 10 Year Guarantee

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W324	20A 1 gang double pole switch+neon	100pcs	0.0286
	W325	20A 1 gang double pole switch	100pcs	0.0286
	W327	45A 1 gang double pole switch+neon, single plate	100pcs	0.0331
	W328	45A 1 gang double pole switch, single plate	100pcs	0.0331
	W329	45A 1 gang double pole switch+neon, double plate	50pcs	0.0331
	W330	45A 1 gang double pole switch, double plate	50pcs	0.0331
	W331	45A switch+neon+13A switched socket+neon	50pcs	0.0331
	W332	45A switch+13A switched socket	50pcs	0.0331



W324



W327

- Conform to BS EN 60 669-1
- Material: Bakelite
- Dimension: 86.5x86.5 mm (1 gang)
86.5x146.5 mm (2 gang)
- Life: 10 Year Guarantee



White Range

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	W350	250W 1 gang dimmer switch, single pole	100pcs	0.0331
	W351	250W 1 gang speed switch	100pcs	0.0331
	W353	250W 2 gang dimmer switch, single pole	50pcs	0.0252
	W352	400W 1 gang dimmer switch, single pole	100pcs	0.0331
	W354	400W 2 gang dimmer switch, single pole	50pcs	0.0252
	W355	500W 1 gang dimmer switch, single pole	100pcs	0.0331
	W356	500W 2 gang dimmer switch, single pole	50pcs	0.0252
	W555	1000W 1 gang dimmer switch, single pole	50pcs	0.0252
	W556	1000W 2 gang dimmer switch, single pole	30pcs	0.0252



W555

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Bakelite
- Dimension: 86.5*86.5 mm (1 gang)
86.5*146.5 mm (2 gang)
- Life: 2 Year Guarantee

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W403	13A 1 gang unswitched socket	100pcs	0.0286
	W404	13A 2 gang unswitched socket	50pcs	0.0252
	W405	13A 1 gang switched socket, single pole	100pcs	0.0286
	W406	13A 2 gang switched socket, single pole	50pcs	0.0252
	W407M	13A 1 gang multi-function switched socket, single pole+neon	100pcs	0.0286
	W409	13A 1 gang switched socket, double pole	100pcs	0.0286
	W410	13A 2 gang switched socket, double pole	50pcs	0.0252
	W407	13A 1 gang switched socket, single pole+neon	100pcs	0.0286
	W408	13A 2 gang switched socket, single pole+neon	50pcs	0.0252
	W411	13A 1 gang switched socket, double pole+neon	100pcs	0.0286
	W412	13A 2 gang switched socket, double pole+neon	50pcs	0.0252



W405



W406

- Conform to BS 1363: Part 2
- Material: Bakelite
- Dimension: 86.5*86.5 mm (1 gang)
86.5*146.5 mm (2 gang)
- Life: 10 Year Guarantee

White Range

>> 3,5,13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	W413	13A fused connection unit+neon	100pcs	0.0286
	W414	5A fused connection unit+neon	100pcs	0.0286
	W415	3A fused connection unit+neon	100pcs	0.0286
	W416	13A fused connection unit	100pcs	0.0286
	W417	5A fused connection unit	100pcs	0.0286
	W418	3A fused connection unit	100pcs	0.0286
	W419	13A switched FCU'S+neon	100pcs	0.0286
	W420	5A switched FCU'S+neon	100pcs	0.0286
	W421	3A switched FCU'S+neon	100pcs	0.0286
	W422	13A switched FCU'S	100pcs	0.0286
	W423	5A switched FCU'S	100pcs	0.0286
	W424	3A switched FCU'S	100pcs	0.0286



W419

- Lockable fuse carrier for safety isolation
- Conform to BS 1363: Part 4
- Material: Bakelite
- Dimension: 86.5*86.5 mm (1 gang)
- Life: 10 Year Guarantee

>> 2 AMP & 5 AMP & 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W426	5A 1 gang round-pin socket	100pcs	0.0286
	W427	15A 1 gang round-pin socket	100pcs	0.0331
	W455	2A 1 gang round-pin socket	100pcs	0.0286
	W428	5A 1 gang switched round-pin socket	100pcs	0.0286
	W429	15A 1 gang switched round-pin socket	100pcs	0.0331
	W430	5A 1 gang switched round-pin socket+neon	100pcs	0.0286
	W431	15A 1 gang switched round-pin socket+neon	100pcs	0.0331



W431

- Conform to BS 546
- Material: Bakelite
- Dimension: 86.5*86.5 mm (1 gang)
- Life: 10 Year Guarantee

White Range

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W432	coaxial socket, single outlet	100pcs	0.0286
	W433	coaxial socket, twin outlet	100pcs	0.0286
	W434	isolated coaxial socket, single outlet	100pcs	0.0286
	W435	isolated coaxial socket, single outlet + one branch	100pcs	0.0286
	W436	isolated coaxial socket, twin outlet	100pcs	0.0286
	W437	isolated coaxial socket, twin outlet + one branch	100pcs	0.0286
	W166	single satellite socket	100pcs	0.0331
	W167	satellite socket and isolated coaxial socket	100pcs	0.0331
	W168	double satellite socket	100pcs	0.0331



W432



W168

>> 16 AMP SOCKET

Picture	No.	Description	Carton	Volume(cbm)
	W444	16A 2 gang multi-function socket	100pcs	0.0331
	W445	16A 1 gang multi-function socket + 20A single pole switch	100pcs	0.0331
	W446	16A 1 gang multi-function socket + 20A double pole switch	100pcs	0.0331
	W447	16A 1 gang multi-function socket + 2 gang switch	100pcs	0.0331
	W458	shaver socket	25pcs	0.0331
	W460	16A 1 gang multi-function socket	100pcs	0.0331



W458

- Conform to BS 4573, BS60742
- Material: Bakelite
- Dimension: 86.5*86.5 mm (1 gang)
86.5*146.5 mm (2 gang)
- Life: 10 Year Guarantee

White Range

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	W452	telephone socket	100pcs	0.0286
	W438	1 gang telephone socket, secondary	100pcs	0.0286
	W439	1 gang telephone socket, master	100pcs	0.0286
	W440	2 gang telephone socket, secondary	100pcs	0.0286
	W441	2 gang telephone socket, master	100pcs	0.0286
	W442	1 gang RJ45 data socket (8 terminal)	100pcs	0.0331
	W443	2 gang RJ45 data socket (8 terminal)	100pcs	0.0331
	W462	1 gang RJ11 data socket (6 terminal)	100pcs	0.0331
	W463	2 gang RJ11 data socket (6 terminal)	100pcs	0.0331
	W464	1 gang RJ11 data socket (4 terminal)	100pcs	0.0331
	W465	2 gang RJ11 data socket (4 terminal)	100pcs	0.0331



W452



W440

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	W820	20A connection plate	100pcs	0.0286
	W821	45A connection plate	100pcs	0.0331
	W401	1 gang blank plate	200pcs	0.0286
	W402	2 gang blank plate	100pcs	0.0252



W401

- Conform to BS 5733
- Material: Bakelite
- Dimension: 86.5*86.5 mm (1 gang)
86.5*146.5 mm (2 gang)
- Life: 10 Year Guarantee