



MIRROR FINISH RANGE

Classic design, tasters' choice
Golden and silver colour for selection
No colour fading



golden



silver

Mirror Finish Range Silver Color

Mirror Finish Range Silver Color

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S434EB/EE	isolated coaxial socket, single outlet	40pcs	0.0367
	S435EB/EE	isolated coaxial socket, single outlet +one branch	40pcs	0.0367
	S436EB/EE	isolated coaxial socket, twin outlet	40pcs	0.0367
	S437EB/EE	isolated coaxial socket, twin outlet +one branch	40pcs	0.0367
	S166EB/EE	single satellite socket	40pcs	0.0367
	S167EB/EE	satellite socket and isolated coaxial socket	40pcs	0.0367
	S168EB/EE	double satellite socket	40pcs	0.0367



S434EB

>> CONNECTION PLATE & BLANK PLATE











Picture	No.	Description	Carton	Volume(cbm)
	S820E	20A connection plate	40pcs	0.0367
	S821E	45A connection plate	40pcs	0.0367
	S401E	1 gang blank plate	40pcs	0.0367
	S402E	2 gang blank plate	40pcs	0.0555



S401E

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S438EB/EE	1 gang telephone socket, secondary	40pcs	0.0367
	S439EB/EE	1 gang telephone socket, master	40pcs	0.0367
	S440EB/EE	2 gang telephone socket, secondary	40pcs	0.0367
	S441EB/EE	2 gang telephone socket, master	40pcs	0.0367
	S442EB/EE	1 gang RJ45 data socket(8 terminal)	40pcs	0.0367
	S443EB/EE	2 gang RJ45 data socket(8 terminal)	40pcs	0.0367
	S462EB/EE	1 gang RJ11 data socket(6 terminal)	40pcs	0.0367
	S463EB/EE	2 gang RJ11 data socket(6 terminal)	40pcs	0.0367
	S464EB/EE	1 gang RJ11 data socket(4 terminal)	40pcs	0.0367
	S465EB/EE	2 gang RJ11 data socket(4 terminal)	40pcs	0.0367









S438EB



Mirror Finish Range Silver Color

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S324EB/EE	20A 1 gang double pole switch+neon	40pcs	0.0367
	S325EB/EE	20A 1 gang double pole switch	40pcs	0.0367
	S327EB/EE	45A 1 gang double pole switch+neon, single plate	40pcs	0.0367
	S328EB/EE	45A 1 gang double pole switch, single plate	40pcs	0.0367
	S329EB/EE	45A 1 gang double pole switch+neon, double plate	40pcs	0.0555
	S330EB/EE	45A 1 gang double pole switch, double plate	40pcs	0.0555
	S331EB/EE	45A switch+neon+13A switched socket+neon	40pcs	0.0555
	S332EB/EE	45A1 switch+13A switched socket	40pcs	0.0555



S324EB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S350E	250W 1 gang dimmer switch, single pole	40pcs	0.0406
	S351E	250W 1 gang speed switch	40pcs	0.0406
	S353E	250W 2 gang dimmer switch, single pole	40pcs	0.0406
	S352E	400W 1 gang dimmer switch, single pole	40pcs	0.0406
	S354E	400W 2 gang dimmer switch, single pole	40pcs	0.0406
	S355E	500W 1 gang dimmer switch, single pole	40pcs	0.0406
	S356E	500W 2 gang dimmer switch, single pole	40pcs	0.0406
	S555E	1000W 1 gang dimmer switch, single pole	40pcs	0.0406
	S556E	1000W 2 gang dimmer switch, single pole	40pcs	0.0555



S350E

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 2 Year Guarantee

Mirror Finish Range Silver Color

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S403EB/EE	13A 1 gang unswitched socket	40pcs	0.0367
	S404EB/EE	13A 2 gang unswitched socket	40pcs	0.0555
	S405EB/EE	13A 1 gang switched socket, single pole	40pcs	0.0367
	S406EB/EE	13A 2 gang switched socket, single pole	40pcs	0.0555
	S409EB/EE	13A 1 gang switched socket, double pole	40pcs	0.0367
	S410EB/EE	13A 2 gang switched socket, double pole	40pcs	0.0555



S406EB

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

>> 3,5,13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	S413EB/EE	13A fused connection unit+neon	40pcs	0.0367
	S416EB/EE	13A fused connection unit	40pcs	0.0367
	S422EB/EE	13A switched FCU'S	40pcs	0.0367



S419EB

- Lockable fuse carrier for safety isolation
- Conform to BS 1363: Part 4
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
- Life: 10 Year Guarantee

>> 2 AMP & 5 AMP & 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	S426EB/EE	5A 1 gang round-pin socket,BS546	40pcs	0.0367
	S427EB/EE	15A 1 gang round-pin socket,BS546	40pcs	0.0367
	S455EB/EE	2A 1 gang round-pin socket,BS546	40pcs	0.0367
	S428EB/EE	5A 1 gang switched round-pin socket,BS546	40pcs	0.0367
	S429EB/EE	15A 1 gang switched round-pin socket,BS546	40pcs	0.0367



S428EB

- Conform to BS 546
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
- Life: 10 Year Guarantee

Mirror Finish Range Golden Color

>> CONNECTION PLATE & BLANK PLATE

Picture	No.	Description	Carton	Volume(cbm)
	G820E	20A connection plate	40pcs	0.0367
	G821E	45A connection plate	40pcs	0.0367
	G401E	1 gang blank plate	40pcs	0.0367
	G402E	2 gang blank plate	40pcs	0.0555



G401E

- Conform to BS 5733
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee



Mirror Finish Range Silver Color

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	S301EB/EE	1 gang 1 way plate switch	40pcs	0.0367
	S302EB/EE	1 gang 2 way plate switch	40pcs	0.0367
	S303EB/EE	2 gang 1 way plate switch	40pcs	0.0367
	S304EB/EE	2 gang 2 way plate switch	40pcs	0.0367
	S305EB/EE	3 gang 1 way plate switch	40pcs	0.0367
	S306EB/EE	3 gang 2 way plate switch	40pcs	0.0367
	S307EB/EE	4 gang 1 way plate switch	40pcs	0.0555
	S308EB/EE	4 gang 2 way plate switch	40pcs	0.0555
	S309EB/EE	6 gang 1 way plate switch	40pcs	0.0555
	S310EB/EE	6 gang 2 way plate switch	40pcs	0.0555



S301EB

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	S317EB/EE	1 gang bell switch	40pcs	0.0367



S317EB

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

REMARKS:

EB refers to white insert

EE refers to black insert

Please use complete code when placing orders

Mirror Finish Range Golden Color

Mirror Finish Range Golden Color

>> 13 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	G403EB/EE	13A 1 gang unswitched socket	40pcs	0.0367
	G404EB/EE	13A 2 gang unswitched socket	40pcs	0.0555
	G405EB/EE	13A 1 gang switched socket, single pole	40pcs	0.0367
	G406EB/EE	13A 2 gang switched socket, single pole	40pcs	0.0555
	G409EB/EE	13A 1 gang switched socket, double pole	40pcs	0.0367
	G410EB/EE	13A 2 gang switched socket, double pole	40pcs	0.0555



G406EE

- Conform to BS 1363: Part 2
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

>> CO-AXIAL & SATELLITE OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	G434EB/EE	isolated coaxial socket, single outlet	40pcs	0.0367
	G435EB/EE	isolated coaxial socket, single outlet + one branch	40pcs	0.0367
	G436EB/EE	isolated coaxial socket, twin outlet	40pcs	0.0367
	G437EB/EE	isolated coaxial socket, twin outlet + one branch	40pcs	0.0367
	G166EB/EE	single satellite socket	40pcs	0.0367
	G167EB/EE	satellite socket and isolated coaxial socket	40pcs	0.0367
	G168EB/EE	double satellite socket	40pcs	0.0367



G434EE

>> 3,5,13 AMP FUSED CONNECTION UNITS

Picture	No.	Description	Carton	Volume(cbm)
	G413EB/EE	13A fused connection unit + neon	40pcs	0.0367
	G416EB/EE	13A fused connection unit	40pcs	0.0367
	G422EB/EE	13A switched FCU'S	40pcs	0.0367




G422EB

- Lockable fuse carrier for safety isolation
- Conform to BS 1363: Part 4
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
- Life: 10 Year Guarantee

>> TELEPHONE & DATA OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	G438EB/EE	1 gang telephone socket, secondary	40pcs	0.0367
	G439EB/EE	1 gang telephone socket, master	40pcs	0.0367
	G440EB/EE	2 gang telephone socket, secondary	40pcs	0.0367
	G441EB/EE	2 gang telephone socket, master	40pcs	0.0367
	G442EB/EE	1 gang RJ45 data socket (8 terminal)	40pcs	0.0367
	G443EB/EE	2 gang RJ45 data socket (8 terminal)	40pcs	0.0367
	G462EB/EE	1 gang RJ11 data socket (6 terminal)	40pcs	0.0367
	G463EB/EE	2 gang RJ11 data socket (6 terminal)	40pcs	0.0367
	G464EB/EE	1 gang RJ11 data socket (4 terminal)	40pcs	0.0367
	G465EB/EE	2 gang RJ11 data socket (4 terminal)	40pcs	0.0367



G438EE

>> 2 AMP & 5 AMP & 15 AMP SOCKET OUTLETS

Picture	No.	Description	Carton	Volume(cbm)
	G426EB/EE	5A 1 gang round-pin socket, BS546	40pcs	0.0367
	G427EB/EE	15A 1 gang round-pin socket, BS546	40pcs	0.0367
	G455EB/EE	2A 1 gang round-pin socket, BS546	40pcs	0.0367
	G428EB/EE	5A 1 gang switched round-pin socket, BS546	40pcs	0.0367
	G429EB/EE	15A 1 gang switched round-pin socket, BS546	40pcs	0.0367



G429EE

- Conform to BS 546
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
- Life: 10 Year Guarantee

Mirror Finish Range Golden Color

>> 10AMP PLATE SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	G301EB/EE	1 gang 1 way plate switch	40pcs	0.0367
	G302EB/EE	1 gang 2 way plate switch	40pcs	0.0367
	G303EB/EE	2 gang 1 way plate switch	40pcs	0.0367
	G304EB/EE	2 gang 2 way plate switch	40pcs	0.0367
	G305EB/EE	3 gang 1 way plate switch	40pcs	0.0367
	G306EB/EE	3 gang 2 way plate switch	40pcs	0.0367
	G307EB/EE	4 gang 1 way plate switch	40pcs	0.0555
	G308EB/EE	4 gang 2 way plate switch	40pcs	0.0555
	G309EB/EE	6 gang 1 way plate switch	40pcs	0.0555
	G310EB/EE	6 gang 2 way plate switch	40pcs	0.0555



G301EE



G305EE

>> BELL SWITCH

Picture	No.	Description	Carton	Volume(cbm)
	G317EB/EE	1 gang bell switch	40pcs	0.0367



G317EE

REMARKS:

'EB' refers to white insert
'EE' refers to black insert
Please use complete code when placing orders

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

Mirror Finish Range Golden Color

>> 20 AMP & 45 AMP SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	G324EB/EE	20A 1 gang double pole switch+neon	40pcs	0.0367
	G325EB/EE	20A 1 gang double pole switch	40pcs	0.0367
	G327EB/EE	45A 1 gang double pole switch+neon, single plate	40pcs	0.0367
	G328EB/EE	45A 1 gang double pole switch, single plate	40pcs	0.0367
	G329EB/EE	45A 1 gang double pole switch+neon, double plate	40pcs	0.0555
	G330EB/EE	45A 1 gang double pole switch, double plate	40pcs	0.0555
	G331EB/EE	45A switch+neon+13A switched socket+neon	40pcs	0.0555
	G332EB/EE	45A switch+13A switched socket	40pcs	0.0555



G327EE



G329EE

- Conform to BS EN 60 669-1
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 10 Year Guarantee

>> DIMMER SWITCHES

Picture	No.	Description	Carton	Volume(cbm)
	G350E	250W 1 gang dimmer switch, single pole	40pcs	0.0406
	G351E	250W 1 gang speed switch	40pcs	0.0406
	G353E	250W 2 gang dimmer switch, single pole	40pcs	0.0406
	G352E	400W 1 gang dimmer switch, single pole	40pcs	0.0406
	G354E	400W 2 gang dimmer switch, single pole	40pcs	0.0406
	G355E	500W 1 gang dimmer switch, single pole	40pcs	0.0406
	G356E	500W 2 gang dimmer switch, single pole	40pcs	0.0406
	G555E	1000W 1 gang dimmer switch, single pole	40pcs	0.0406
	G556E	1000W 2 gang dimmer switch, single pole	40pcs	0.0555



G353E

- Conform to BS EN 60 669-2-1, BS55014-1, BS 55014-2
- Clear terminal markings
- Material: Stainless Steel
- Dimension: 86.5×86.5 mm (1 gang)
86.5×146.5 mm (2 gang)
- Life: 2 Year Guarantee